INDEX

Page

Abortion—
disease of cows, iodine treatment, experiments 111, 114–117, 126–127
infectious, immunizing agents, *Brucella abortus*, efficacy of different strains against. W. E. Cotton 705–724
Agglutinin, content of blood, effects of vaccination and exposure 711–715, 720–723
Agropyron, four species, identification key 371
Aleurites fordi. *See* Tung-oil tree.
ALLEN, RUTH F.: A Cytological Study of Heterothallism in *Puccinia coronata* 513–541
Amylase, in Colorado potato beetle, study 473–474, 480, 481
Anthracnose—
northwestern, of apple, pathogene, physiological studies 65–76
rose, caused by Sphaceloma. Anna E. Jenkins 321–337
Aphelenchoides—
acroposthion, n. sp., taxonomy 443, 444
conurus, n. sp., taxonomy 441–442
spp., ecological groups 438–439, 444
status and generic characters 441–442, 444
Apple—
anthracnose, northwestern, pathogene, physiological studies 65–76
perennial canker pathogene, physiological studies 65–76
rots, produced by *Gloeosporium perennans* and *Neofabraea malicorticis*, study 72–73
ARCHIBALD, J. G.; NELSON, P. R.; and BENNETT, E.: A Three-Year Study of the Chemical Composition of Grass from Plots Fertilized and Grazed Intensively 627–640
ARNY, A. C., and STEINMETZ, F. H.: A Classification of the Varieties of Field Beans, *Phaseolus vulgaris* 1–50
Arsenicals, effect on activity of digestive enzymes of Colorado potato beetle 479–481
Asparagus—
cutting season, length, effect on yields 105–108, 109
plant, sex, effect on yield 102–105, 108–109
size of crown, relation to yield 102–105, 108–109
yields, effect of size of crown and length of cutting season. E. S. Haber 101–109
Atmosphere, storage, carbon dioxide content, effect on carbohydrate transformation in certain fruits and vegetables. Erston V. Miller and Charles Brooks 449–459
Azotobacter—
production of nitrogen changes in certain nitrogenous compounds and the nitrogen fixed in the presence of these compounds. L. G. Thompson, jr 149–161
spp., production of nitrogen changes, experiments and discussion 149–160

Bacillus—
amylovorus—
cause of disease on fruit, studies 59–63
migration in the tissues of the quince. Herbert A. Wahl 59–64
larvae, spores—
in commercial honey, investigation 258, 278–282, 283
numbers necessary to produce disease in bee colonies, experiments 258–264, 282–283
production of vegetative growth in cultures, experiments 267–278
Bacterium aleuritidis, n. sp.—
infection of tung-oil tree 339–346
morphology, characters, and technical description 344–346

Page

Bark beetles, studies 437–444
BEADLES, JESSIE R.; MITCHELL, H. H.; HAMILTON, T. S.; MCCLURE, F. J.; HAINES, W. T.; and MORRIS, H. P.: The Effect of the Amount of Feed Consumed by Cattle on the Utilization of Its Energy Content 163–191
Bean—
plants, characters, description 7–16
pods, characters, description 16–24
seedlings, characters, description 6–7
Beans—
field—
(*Phaseolus vulgaris*), varieties, classification. F. H. Steinmetz and A. C. Arny 1–50
varieties, classification and factors affecting 1–49
varieties grown in Minnesota, description 29–49
seed size, effect of environment, experiment 3–6
BECHDEL, S. I.; FORBES, E. B.; KARNS, GEO. M.; WILLIAMS, P. S.; KEITH, T. B.; CALLENBACH, E. W.; and MURPHY, R. R.: The Value of Iodine for Livestock in Central Pennsylvania 111–128
Bee colonies, inoculation with *Bacillus larvae*, methods and observations 259–266, 282–283
Beekeeping industry, effect of spread of American foulbrood on 257–283
BENNETT, E.; ARCHIBALD, J. G.; and NELSON, P. R.: A Three-Year Study of the Chemical Composition of Grass from Plots Fertilized and Grazed Intensively 627–640
Blood of cows, agglutinin content, effects of vaccination and exposure 711–715, 720–723
Bollworms, pink, detection in cottonseeds by X ray. F. A. Fenton and Willis W. Waite 347–348
Brassica oleracia. *See* Cabbage.
Bread, of hard red spring wheat flour, loaf volume and weight, protein content, and water absorption, studies 209–231
Breeding, wheat, for resistance to bunt, experiments 501–505
BRIGGS, FRED N.: Inheritance of Resistance to Bunt, *Tilletia tritici*, in Hybrids of White Federation and Odessa Wheat 501–505
Bromegrass, growth, comparison with crested wheatgrass 373–377, 378–382, 383
BROOKS, CHARLES, and MILLER, ERSTON V.: Effect of Carbon Dioxide Content of Storage Atmosphere on Carbohydrate Transformation in Certain Fruits and Vegetables 449–459
Brucella abortus—
infection, dairy cows, treatment with iodine, experiments 111, 114–117, 126–127
strains, efficacy as immunizing agents against infectious abortion. W. E. Cotton 705–724
BULL, HENRY, and SCHUMACHER, FRANCIS X.: Determination of the Errors of Estimate of a Forest Survey, with Special Reference to the Bottom-Land Hardwood Forest Region 741–756
Bull, dairy—
ante-mortem—
external measurements, comparison with cow, data 642–650
post-mortem and skeletal structure data, interrelations 669–670, 674

Bull, dairy—Continued. Page
conformation, anatomy, and skeletal structure, comparision with dairy cow. W. W. Swett, R. R. Graves, and Fred W. Miller ... 641–674
post-mortem measurements, study ... 650–653
skeletal measurements, data ... 653–669, 672–673
Bunt, *Tilletia tritici*, resistance of White Federation and Odessa wheat hybrids to, inheritance. Fred N. Briggs ... 501–505
Butterfat, quantity obtained from ante-mortem and post-mortem milkings, comparison ... 405–406, 411–418

Cabbage—
bottom rot, description ... 461–462
inoculation with *Corticium vagum* ... 464–466
Rhizoctonia—
bottom rot and head rot. F. L. Wellman ... 461–469
head rot, description and comparison with other head rots ... 462–464
Calcium, diet balances for heifers, digestibility determinations ... 558, 560–562
Callenbach, E. W.; Forbes, E. B.; Karns, Geo. M.; Bechdel, S. I.; Williams, P. S.; Keith, T. B.; and Murphy, R. R.: The Value of Iodine for Livestock in Central Pennsylvania ... 111–128
Calves, feeding with iodine, experiments ... 112–113, 117–121, 127
Canker, perennial, of apple, pathogene, physiological studies ... 65–76
Carbohydrate transformation, fruits and vegetables, effect of carbon dioxide content of storage atmosphere on. Erston V. Miller and Charles Brooks ... 449–459
Carbon dioxide content of storage atmosphere, effect on carbohydrate transformation in certain fruits and vegetables. Erston V. Miller and Charles Brooks ... 449–459
Casein, effect on serum layer of cream ... 485, 498
Cattle—
dairy—
conformation, anatomy, and skeletal structure, comparisons ... 641–674
feeding on artificially dried herbage, experiments ... 557–562
feed—
consumption, effect of amount on utilization of energy content. H. H. Mitchell, T. S. Hamilton, F. J. McClure, W. T. Haines, Jessie R. Beadles, and H. P. Morris ... 163–191
energy content, utilization, relation to amount of feed consumed. H. H. Mitchell, T. S. Hamilton, F. J. McClure, W. T. Haines, Jessie R. Beadles, and H. P. Morris ... 163–191
nutrition, studies ... 163–190
Cherries, reaction to carbon dioxide gas, study ... 450–452, 455–458
Chickens—
feeding with iodine, experiments ... 112–113, 124–126, 128
lead arsenate poisoning in. E. F. Thomas and A. L. Shealy ... 317–319
Chloroplasts, in potato—
division, description ... 430–433
origin, development, and increase. Winona E. Stone ... 421–435
Cold storage—
cream, effect on formation of serum layer ... 493
peas, effects on keeping quality and flavor, experiments ... 361–370
Color grading, honey, importance ... 757–758
Corn, sweet—
mean increase in yields per acre in fertilized plots, experiments, analysis ... 676–704
reaction to carbon dioxide gas, study ... 450–452, 453–454, 457–458
Corticium vagum, cause of Rhizoctonia rots of cabbage ... 465–469
Cotter, Ralph U., and Levine, Moses N.: Physiologic Specialization in *Puccinia graminis secalis* ... 297–315
Cotton, W. E.: Efficacy of Different Strains of *Brucella abortus* as Immunizing Agents against Infectious Abortion ... 705–724

Cotton root-rot— Page
fungus, distribution in soil and in plant tissues, relation to control by disinfectants. C. J. King and Claude Hope ... 725–740
spread prevention by mapping infested area ... 726–728
Cottonseeds, pink bollworms in, detection by X ray. F. A. Fenton and Willis W. White ... 347–348
Cow—
dairy—
ante-mortem external measurements, comparison with bull, data ... 642–650
ante-mortem, post-mortem, and skeletal structure data, interrelations ... 669–670, 674
conformation, anatomy, and skeletal structure, comparison with dairy bull. W. W. Swett, R. R. Graves, and Fred W. Miller ... 641–674
post-mortem measurements, study ... 650–653
skeletal measurements, data ... 653–669, 672–673
udders—
amputated, composition of milk obtained from. W. W. Swett, Fred W. Miller, and R. R. Graves ... 401–419
amputated, quantity of milk obtained from. W. W. Swett, Fred W. Miller, and R. R. Graves ... 385–400
characteristics, relation to milk production, study ... 577–607
quality, size, capacity, gross anatomy, and histology, relation to milk production. W. W. Swett, Fred W. Miller, R. R. Graves, and G. T. Creech ... 577–607
Cows—
dairy—
milk secretion studies ... 385–399, 401–418
rations, influence on chemical and physical properties of milk fat ... 51–58
feeding with—
alfalfa hay, experiments ... 507–511
iodine for abortion disease, experiments ... 111, 114–117, 126–127
immunization against *Brucella abortus*, experiments ... 705–724
milk production—
ante-mortem and post-mortem milkings, comparison ... 388–399
relation to quality, size, capacity, gross anatomy, and histology of udders. W. W. Swett, Fred W. Miller, R. R. Graves, and G. T. Creech ... 577–607
vaccination, effects on blood stream, experiments ... 711–724
Cream—
bottled, separation of serum from, study of factors. G. Malcolm Trout and J. C. McCan ... 483–500
heat treatment, effect on serum layer ... 489, 499
serum layer, formation, cause and prevention, study ... 483–500
viscolization for reduction of serum layer, experiments ... 495–496, 499
Creech, G. T.; Swett, W. W.; Miller, Fred W.; and Graves, R. R.: Quality, Size, Capacity, Gross Anatomy, and Histology of Cow Udders in Relation to Milk Production ... 577–607
Crown rust. See *Puccinia coronata*.

Dairy cows. *See* Cows, dairy.
Daniel, Esther Peterson, and Munsell Hazel E.: The Vitamin A, B, C, and G Content of Concord Grapes ... 445–448
Demaree, J. B., and McCulloch, Lucia: A Bacterial Disease of the Tung-Oil Tree ... 339–346
Dendroctonus monticolae, mountain pine beetle, nemic parasites and associates. G. Steiner ... 437–444
Dickson, James G.; Pugh, Grace Wineland; and Johann, Helen: Relation of the Semipermeable Membranes of the Wheat Kernel to Infection by *Gibberella saubinetii* ... 609–626
Digestion, steers, experiments ... 166–167, 172–173
Digestive enzymes of Colorado potato beetle and influence of arsenicals on their activity. David E. Fink ... 471–482
Diploganter occidentalis, n. sp., taxonomy ... 439–441, 444

Page

Disaccharides, hydrolysis by enzymes of Colorado potato beetle ... 474–476
Driers, for plants, kinds and advantages ... 507
Drying, artificial, of alfalfa hay, effect on availability of nutrients. E. B. Hart, O. L. Kline, and G. C. Humphrey ... 507–511
DULEY, F. L., and HAYS, O. E.: The Effect of the Degree of Slope on Run-Off and Soil Erosion ... 349–360

Energy content of feed consumed by cattle, utilization, relation to amount consumed. H. H. Mitchell, T. S. Hamilton, F. J. McClure, W. T. Haines, Jessie R. Beadles, and H. P. Morris ... 163–191
Enzymes—
digestive, of Colorado potato beetle, influence of arsenicals on their activity. David E. Fink ... 471–482
proteolytic, of Colorado potato beetle, study ... 472–473, 476–479, 480, 481
Erepsin, in Colorado potato beetle ... 479
Erosion, soil, and run-off, effect of degree of slope on. F. L. Duley and O. E. Hays ... 349–360
Eye, sensitivity to lights of various colors ... 736
Fasting steers, heat production, experiments ... 180–181, 183–186, 189
Fat, milk, chemical and physical properties, influence of certain balanced rations. O. R. Overman and O. F. Garrett ... 51–58
Fatty acids, formation in flaxseed ... 250, 254
Feed consumed by cattle, amount, effect on utilization of its energy content. H. H. Mitchell, T. S. Hamilton, F. J. McClure, W. T. Haines, Jessie R. Beadles, and H. P. Morris ... 163–191
Feeding—
cows, on alfalfa hay, experiments ... 507–511
dairy cattle, with artificially dried pasture herbage, experiments ... 557–562
dairy cows, for milk fat production, experiments and results ... 51–57
FENTON, F. A., and WAITE, WILLIS W.: Detecting Pink Bollworms in Cottonseeds by the X Ray ... 347–348
Fertilizer ratios, optimum, efficiency factors and their use in determining. W. A. Huelsen ... 675–704
Fertilizers, effect on composition of pasture grass ... 630–632, 636–639
Field beans. *See* Beans, field.
FINK, DAVID E.: The Digestive Enzymes of the Colorado Potato Beetle and the Influence of Arsenicals on Their Activity. 471–482
Fire-blight organism, cause of disease in quince, studies ... 59–63
Flax—
boll, size, increase on soils of different productivity, study ... 243–245, 248–249, 253, 254
planting, delayed, influence on yield and composition of seed ... 239, 250–253, 254
Flaxseed—
development rate, study ... 239, 243–249, 253, 254
iodine absorption number, determination ... 243, 249, 254
oil in, quantity and quality, relation to agronomic practice. I. J. Johnson ... 239–255
Flour—
baking tests ... 209–230
protein content, correlation studies ... 212–214, 215, 223, 227, 228, 229
FORBES, E. B.; KARNS, GEO. M.; BECHDEL, S. I.; WILLIAMS, P. S.; KEITH, T. B.; CALLENBACH, E. W.; and MURPHY, R. R.: The Value of Iodine for Livestock in Central Pennsylvania ... 111–128
Forest—
area, analysis, data ... 743–752
survey, errors of estimate, determination, with special reference to the bottomland hardwood forest region. Francis X. Schumacher and Henry Bull ... 741–756
Formaldehyde, use for disinfection of soil infested with root-rot fungus. 725, 728–730, 738–739
Foulbrood, American, spread, relation of commercial honey to. A. P. Sturtevant ... 257–285
Freezing, potatoes, effect on sugar content ... 552–553, 554–555

Page

Fruit moth, oriental, parasite of, *Macrocentrus ancylivorus* Roh. G. J. Haeussler ... 79–100
Fruits, carbohydrate transformation, effect of carbon dioxide content of storage atmosphere on. Erston V. Miller and Charles Brooks ... 449–459
Fungi, blue stain, prevention, cause of chemical stains of wood ... 233–237
Fusarium stains, of lumber and logs, study ... 234–237

GAINEY, P. L., and SEWELL, M. C.: The Rôle of Nitrogen in the Production of Spots in Wheat Fields ... 129–148
GARRETT, O. F., and OVERMAN, O. R.: The Influence of Certain Balanced Rations on the Chemical and Physical Properties of Milk Fat ... 51–58
Gelatin—
digestion by enzymes of Colorado potato beetle ... 477–479
effect on serum layer in cream, experiments ... 485, 497–498, 500
Gibberella saubinetii—
distribution within wheat kernels ... 622–624, 625
infection, relation to semipermeable membranes of the wheat kernel. Grace Wineland Pugh, Helen Johann, and James G. Dickson ... 609–626
Gipsy moth, tachinid parasite, *Sturmia inconspicua* Meigen. R. T. Webber ... 193–208
Glioeladium sp., staining of wood, study ... 235, 237
Gloeosporium perennans and *Neofabraea malicorticis*, physiological studies. Erston V. Miller ... 65–77
Grain mixtures, effect on milk fat production of dairy cows, data ... 51–57
Grapes, Concord, Vitamin A, B, C, and G content. Esther Peterson Daniel and Hazel E. Munsell ... 445–448
Grapholitha molesta, development during parasitism by *Macrocentrus ancylivorus* ... 87–88
Grass—
chemical composition, three-year study ... 627–640
from plots fertilized and grazed intensively, chemical composition, a three-year study. J. G. Archibald, P. R. Nelson, and E. Bennett ... 627–640
GRAVES, R. R.; SWETT, W. W.,—and MILLER, FRED W.,—
Comparison of Conformation, Anatomy, and Skeletal Structure of the Cow and Bull of a Dairy Breed ... 641–674
Composition of Milk Obtained from Amputated Cow Udders ... 401–419
Quantity of Milk Obtained from Amputated Cow Udders ... 385–400
MILLER, FRED W.; and CREECH, G. T.: Quality, Size, Capacity, Gross Anatomy, and Histology of Cow Udders in Relation to Milk Production ... 577–607
Grazing, effect on composition of pasture grass, study ... 630–632, 639, 640
GREEN, E. L., and KERTESZ, Z. I.: Deterioration in Shelled Green Peas Held a Few Days in Storage Prior to Canning ... 361–370
Gum, red, lumber of, inoculation treatment for blue stain, study ... 233–237

HABER, E. S.: Effect of Size Crown and Length of Cutting Season on Yields of Asparagus ... 101–109
HAEUSSLER, G. J.: *Macrocentrus ancylivorus* Roh., an Important Parasite of the Oriental Fruit Moth ... 79–100
HAINES, W. T.; MITCHELL, H. H.; HAMILTON, T. S.; MCCLURE, F. J.; BEADLES JESSIE R.; and MORRIS, H. P.: The Effect of the Amount of Feed Consumed by Cattle on the Utilization of Its Energy Content ... 163–191
HAMILTON, T. S.; MITCHELL, H. H.; MCCLURE, F. J.; HAINES, W. T.; BEADLES, JESSIE R.; and MORRIS, H. P.: The Effect of the Amount of Feed Consumed by Cattle on the Utilization of Its Energy Content ... 163–191
HANSON, HERBERT C., and LOVE, L. DUDLEY: Life History and Habits of Crested Wheatgrass ... 371–383

Hardwood— Page
forest region, bottom-land, survey, errors of estimate, determination. Francis X. Schumacher and Henry Bull 741–756
lumber and logs, some minor status. T. C. Scheffer and A. M. Lindgren 233–237
HART, E. B.; KLINE, O. L.; and HUMPHREY, G. C.: The Effect of Artificial Drying on the Availability of the Nutrients of Alfalfa Hay 507–511
Hay, alfalfa—
digestibility, relation to method of drying. 508–510
nutrients, availability, effect of artificial drying. E. B. Hart, O. L. Kline, and G. C. Humphrey 507–511
HAYS, O. E., and DULEY, F. L.: The Effect of the Degree of Slope on Run-off and Soil Erosion 349–360
Heat production—
in cattle, relation to type of feed consumed, studies and discussion 180–190
steers, during fasting, measurement .. 183–185, 189
Heifers, dairy, on artificially dried pasture herbage, nitrogen, calcium, and phosphorus, balance 557–562
Herbage, pasture, artificially dried, apparent digestibility, and nitrogen, calcium, and phosphorus balance of dairy heifers on. J. C. Knott and R. E. Hodgson 557–563
Heterothallism—
and hybridization in *Sphacelotheca sorghi* and *S. cruenta*. H. A. Rodenhiser 287–296
crown rust of oats, greenhouse data 521–523
in *Puccinia coronata*, cytological study. Ruth F. Allen 513–541
HODGSON, R. E., and KNOTT, J. C.: Apparent Digestibility of, and Nitrogen, Calcium, and Phosphorus Balance of Dairy Heifers on, Artificially Dried Pasture Herbage 557–563
Honey—
absorption and dispersal of light 762–763
color—
effect of light 762–763
grades, definitions. E. F. Phillips 757–770
grading, importance 757–758
commercial—
examination for spores of *Bacillus larvae* 278–282, 283
relation to spread of American foulbrood. A. P. Sturtevant 257–285
HUELSEN, W. A.: Efficiency Factors and Their Use in Determining Optimum Fertilizer Ratios 675–704
HOPE, CLAUDE, and KING, C. J.: Distribution of the Cotton Root-Rot Fungus in Soil and in Plant Tissues in Relation to Control by Disinfectants 725–740
HUMPHREY, G. C.; HART, E. B.; and KLINE O. L.: The Effect of Artificial Drying on the Availability of the Nutrients of Alfalfa Hay 507–511
Hybridization and heterothallism in *Sphacelotheca sorghi* and *S. cruenta*. H. A. Rodenhiser 287–296
Hydrogen-ion—
concentration and oxidation-reduction potentials of a soil. L. G. Willis 571–575
concentrations, effect on growth of *Gloeosporium perennans* and *Neofabraea malicorticis* 67–68, 75–76
Hyperparasites of *Sturmia inconspicua* 205, 208

Inbreeding coefficients, calculation from livestock pedigrees, approximate method, empirical test. Jay L. Lush 565–569
Inoculation—
apples, with strains of *Gloeosporium perennans* and *Neofabraea malicorticis*, study 73–75
bees, with *Bacillus larvae*, experiments 259–266, 282–283
quince, with *Bacillus amylovorus*, cytological effects 60–63
reed kafir sorghum with *Sphacelotheca* spp. 288
wood blocks, with fungi in study of stains 234–237
Invertase, in Colorado potato beetle, study 475–476, 480, 481

Iodine— Page
absorption number in flaxseed, determination 243, 249, 254
value for livestock in central Pennsylvania. E. B. Forbes, Geo. M. Karns, S. I. Bechdel, P. S. Williams, T. B. Keith, E. W. Callenbach, and R. R. Murphy 111–128

JENKINS, ANNA E.: Rose Anthracnose Caused by Sphaceloma 321–337
JOHANN, HELEN; PUGH, GRACE WINELAND; and DICKSON, JAMES G.: Relation of the Semipermeable Membranes of the Wheat Kernel to Infection by *Gibberella saubinetii* 609–626
JOHNSON, I. J.: The Relation of Agronomic Practice to the Quantity and Quality of the Oil in Flaxseed 239–255

Kafir, reed, inoculation with *Sphacelotheca* spp. 288
KARNS, GEO. M.; FORBES, E. B.; BECHDEL, S. I.; WILLIAMS, P. S.; KEITH, T. B.; CALLENBACH, E. W.; and MURPHY, R. R.: The Value of Iodine for Livestock in Central Pennsylvania 111–128
KEITH, T. B.; FORBES, E. B.; KARNS, GEO. M.; BECHDEL, S. I.; WILLIAMS, P. S.; CALLENBACH, E. W.; and MURPHY, R. R.: The Value of Iodine for Livestock in Central Pennsylvania 111–128
KERTESZ, Z. I., and GREEN, E. L.: Deterioration in Shelled Green Peas Held a Few Days in Storage Prior to Canning 861–870
KING, C. J., and HOPE, CLAUDE: Distribution of the Cotton Root-Rot Fungus in Soil and in Plant Tissues in Relation to Control by Disinfectants 725–740
KLINE, O. L.; HART, E. B.; and HUMPHREY, G. C.: The Effect of Artificial Drying on the Availability of the Nutrients of Alfalfa Hay 507–511
KNOTT, J. C., and HODGSON, R. E.: Apparent Digestibility of, and Nitrogen, Calcium, and Phosphorus Balance of Dairy Heifers on, Artificially Dried Pasture Herbage 557–563

Lactase, in Colorado potato beetle, study .. 475, 480, 481
Lactation, stage, variation, importance 591, 606
Lambs, fattening, value of supplemental iodine, experiments 112–113, 122–124, 127–128
Land, slope, effect of degree on run-off and soil erosion. F. L. Duley and O. E. Hays 349–360
Lead—
arsenate—
effect on activity of digestive enzymes of Colorado potato beetle 479–481
feeding to chickens, experiments and results 317–319
poisoning in chickens. E. F. Thomas and A. L. Shealy 317–319
poisoning, symptoms, discussion 317–319
Leptinotarsa decemlineata, digestive enzymes, influence of arsenicals on their activity 471–482
LEVINE, MOSES N., and COTTER, RALPH U.: Physiologic Specialization in *Puccinia graminis secalis* 297–315
Light—
absorption and dispersal by honey 762–765
effect on—
greening of potato tubers 423–424
sensitivity of eye to colors 766
transmission, measurement for grading honey 763–769
Liming, soil, effect on oxidation reduction potential, data and discussion 571–574, 575
LINDGREN, R. M., and SCHEFFER, T. C.: Some Minor Stains of Southern Pine and Hardwood Lumber and Logs 233–237
Linseed meal, iodized, feeding to livestock, experiments 112–128
Lipase, in Colorado potato beetle, study 476, 480, 481

Page

Livestock—
breeding, experiments 565–569
iodine for, value in central Pennsylvania. E. B. Forbes, Geo. M. Karns, S. I. Bechdel, P. S. Williams, T. B. Keith, E. W. Callenbach, and R. R. Murphy 111–128
pedigrees, inbreeding and relationship coefficients, empirical test of the approximate method of calculating. Jay L. Lush 565–569
relationship coefficients, calculation, tests 565, 567–569
Logs, southern pine and hardwood, some minor stains. T. C. Scheffer and R. M. Lindgren 233–237
Love, L. Dudley, and Hanson, Herbert C.: Life History and Habits of Crested Wheatgrass 371–388
Lumber, southern pine and hardwood, some minor stains. T. C. Scheffer and R. M. Lindgren 233–237
Lush, Jay L.: An Empirical Test of the Approximate Method of Calculating Coefficients of Inbreeding and Relationship from Livestock Pedigrees 565–569

Macrocentrus—
ancylivorus—
adult, description and biology 82–87
life history and development 87–97, 99–100
number of generations and hibernation 97–99, 100
Roh., an important parasite of the oriental fruit moth. G. J. Haeussler 79–100
delicatus, similarity to *M. ancylivoris* 82–83
Maltase, in Colorado potato beetle, study 475, 480, 481
Mangels, C. E., and Waldron, L. R.: Correlational and Allied Studies of the Protein Content, Water Absorption, Loaf Volume, and Loaf Weight of Two Series of Hard Red Spring Wheats 209–231
McCan, J. C., and Trout, G. Malcolm: A Study of Several Factors in the Separation of Serum from Bottled Cream 483–500
McClure, F. J.; Mitchell, H. H.; Hamilton, T. S.; Haines, W. T.; Beadles, Jessie R.; and Morris, H. P.: The Effect of the Amount of Feed Consumed by Cattle on the Utilization of Its Energy Content 163–191
McCulloch, Lucia, and Demaree, J. B.: A Bacterial Disease of the Tung-Oil Tree 339–348
Metabolism—
cows fed on alfalfa hay, experiments 510–511
experiments with heifers 559–562
steer, at different levels of feeding, study of energy utilization 173–189
Migration of *Bacillus amylovorus* in the tissue of the quince. Herbert A. Wahl 59–64
Milk—
composition—
ante-mortem and post-mortem milkings, comparison 404–418
obtained from amputated cow udders. W. W. Swett, Fred W. Miller, and R. R. Graves 401–419
evaporated, effect on serum layer in cream, experiments 485, 498, 500
fat, chemical and physical properties, influence of certain balanced rations. O. R. Overman and O. F. Garrett 51–58
heat treatment, effect on formation of serum layer in cream 486–489, 499
powder, effect on serum layer in cream, experiments 485, 498, 500
production—
effect of artificially dried hay, study 510–511
relation to quality, size, capacity, gross anatomy, and histology of cow udders. W. W. Swett, Fred W. Miller, R. R. Graves, and G. T. Creech 577–607
quantity obtained from amputated cow udders. W. W. Swett, Fred W. Miller, and R. R. Graves 385–400
recovery from amputated cow udders 579–580, 583–584, 587–588
secretion in cow udders, studies 387, 589
stored, effect on formation of serum layer in cream 487–488

Page

Miller, Erston V.—
Some Physiological Studies of *Gloeosporium perennans* and *Neofabraea malicorticis* 65–77
and Brooks, Charles: Effect of Carbon Dioxide Content of Storage Atmosphere on Carbohydrate Transformation in Certain Fruits and Vegetables 449–459
Miller, Fred W.—
Graves, R. R.; and Swett, W. W.: Comparison of Conformation, Anatomy, and Skeletal Structure of the Cow and Bull of a Dairy Breed 641–674
Swett, W. W.; and Graves, R. R.—
Composition of Milk Obtained from Amputated Cow Udders 401–419
Quantity of Milk Obtained from Amputated Cow Udders 385–400
Swett, W. W.; Graves, R. R.; and Creech, G. T.: Quality, Size, Capacity, Gross Anatomy, and Histology of Cow Udders in Relation to Milk Production 577–607
Mitchell, H. H.; Hamilton, T. S.; McClure, F. J.; Haines, W. T.; Beadles, Jessie R.; and Morris, H. P.: The Effect of the Amount of Feed Consumed by Cattle on the Utilization of Its Energy Content 163–191
Mitosis, in potato chloroplasts, description 430–433
Moisture, effect on Rhizoctonia diseases of cabbage 467, 469
Morris, H. P.; Mitchell, H. H.; Hamilton, T. S.; McClure, F. J.; Haines, W. T.; and Beadles, Jessie R.: The Effect of the Amount of Feed Consumed by Cattle on the Utilization of Its Energy Content 163–191
Munsell, Hazel E., and Daniel, Esther Peterson: The Vitamin A, B, C, and G Content of Concord Grapes 445–448
Murphy, R. R.; Forbes, E. B.; Karns, Geo. M.; Bechdel S. I.; Williams, P. S.; Keith, T. B.; and Callenbach, E. W.: The Value of Iodine for Livestock in Central Pennsylvania 111–128

Nelson, P. R.; Archibald, J. G.; and Bennett, E.: A Three-Year Study of the Chemical Composition of Grass from Plots Fertilized and Grazed Intensively 627–640
Neofabraea malicorticis and *Gloeosporium perennans*, physiological studies. Erston V. Miller 65–77
Nitrogen—
changes produced in certain nitrogenous compounds by Azotobacter and the nitrogen fixed in the presence of these compounds. L. G. Thompson, jr 149–161
diet balances for heifers, digestibility determination 558, 560–562
effect on—
efficiency of phosphorus in corn production 681–684, 703–704
efficiency of potash in corn production 687–689, 698–699
yield of corn, experiments 676–704
fixation, by Azotobacter, studies 149–161
rôle in production of spots in wheat fields. P. L. Gainey and M. C. Sewell 129–148
studies, in wheat fields, data for 1929, 1930, 1931 131–142
Nitrogenous compounds, nitrogen changes produced by Azotobacter and the nitrogen fixed in their presence. L. G. Thompson, jr 149–161

Oats, crown rust—
heterothallism, studies 513–540
life cycle, data 515–521, 539–540
Oil—
content of flax, relation to productivity of soil 239, 243, 249–250, 253–254
in flaxseed, quantity and quality, relation to agronomic practice. I. J. Johnson 239–255
Overmann, O. R., and Garrett, O. F.: The Influence of Certain Balanced Rations on the Chemical and Physical Properties of Milk Fat 51–58

Page

Oxidation-reduction potentials and the hydrogen-ion concentration of a soil. L. G. Willis 571–575

Parasite, tachinid, of the gipsy moth, *Sturmia inconspicua* Meigen. R. T. Webber. 193–208
Parasites, nemic, and associates of mountain pine beetle (*Dendroctonus monticolae*). G. Steiner 437–444
Paris green, effect on activity of digestive enzymes of Colorado potato beetle 479–481
Parthenogenesis, in *Macrocentrus ancylivorus* 85
Pasteurization—
  cream, effect on formation of serum layer 489–490, 499
  milk, effect on serum layer of cream. 488–489, 499
Pasture grass—
  composition, seasonal variations 632–639, 640
  fertilizing and grazing, effect on composition 630–632
Peaches, reaction to carbon dioxide gas, study 450–452, 455–458
Peas—
  chemical composition, changes during storage 362–370
  flavor, preservation in storage, experiments 361–370
  green, shelled—
    deterioration in storage 361–370
    held a few days in storage prior to canning, deterioration. Z. I. Kertesz and E. L. Green 361–370
  reaction to carbon dioxide gas, study 450–453, 456–458
  respiration, effect on deterioration 368–370
Pectinophora gossypiella, detection in cottonseeds by X ray 347–348
Pedigrees, livestock, inbreeding and relationship coefficients, empirical test of the approximate method of calculating. Jay L. Lush 565–569
Penicillium stains, of lumber and logs, study 233–237
Pennsylvania, central, livestock, value of iodine for. E. B. Forbes, Geo. M. Karns, S. I. Bechdel, P. S. Williams, T. B. Keith, E. W. Callenbach, and R. R. Murphy 111–128
Phaseolus—
  spp., classification and description 25–49
  vulgaris, varieties of field beans, classification. F. H. Steinmetz and A. C. Arny 1–50
PHILLIPS, E. F.: Definitions of Honey Color Grades 757–770
Phosphorus—
  diet balances for heifers, digestibility determinations 558, 560–562
  effect on—
    efficiency of nitrogen in corn production 684–689, 703–704
    efficiency of potash in corn production. 695–697, 700, 702
    yield of corn, experiments 676–704
Phyllosticta rosarum. See *Sphaceloma rosarum*.
Phymatotrichum omnivorum—
  distribution in soil and in plant tissues in relation to control by disinfectants 725–739
  sclerotia—
    distribution in infested areas 731–738, 739
    viability and propagating powers .. 730–731, 739
Pine—
  mountain, beetle (*Dendroctonus monticolae*) nemic parasites and associates. G. Steiner 437–444
  southern, lumber and logs, some minor stains. T. C. Scheffer and R. M. Lindgren 233–237
Poisoning chickens, with lead arsenate. E. F. Thomas and A. L. Shealy 317–319
Potash, effect on—
  efficiency of—
    nitrogen in corn production, comparisons 689–692, 703–704
    phosphorus in corn production, comparisons 692–694, 703–704
  yield of corn, experiments 676–704

Page

Potassium iodide, effect on calves, comparison with iodine 112, 119
Potato—
  beetle, Colorado, digestive enzymes and influence of arsenicals on their activity. David E. Fink 471–482
  chloroplasts, origin, development, and increase. Winona E. Stone 421–435
  leaves, chloroplasts, origin and division .. 424–427, 432
  tubers, greening, effect of light 423–424
Potatoes—
  frozen and unfrozen—
    respiration rates ... 547–548, 550–551, 553–554, 555
    sugar-content changes 552–553, 554–555
  in storage, physiological studies of. R. C. Wright 543–555
  internal atmospheric composition at different temperatures 543, 552, 554
  sugar content, relation to changes in temperature 544–547, 549–550, 552–553, 554–555
Protein content, hard red spring wheats, correlational and allied studies. L. R. Waldron and C. E. Mangels 209–231
Puccinia—
  coronata—
    heterothallism, cytological study. Ruth F. Allen 513–540
    infection, unfertilized and fertilized, study 523–540
  graminis secalis—
    pathogenicity and prevalence 311–312, 314
    physiologic forms, distribution and behavior 302–306, 308–310, 311–312, 314
    physiologic forms, identification key 310
    physiologic specialization in. Ralph U. Cotter and Moses N. Levine 297–315
    reactions of host, classification 300–306
PUGH, GRACE WINELAND; JOHANN, HELEN; and DICKSON, JAMES G.: Relation of the Semipermeable Membranes of the Wheat Kernel to Infection by *Gibberella saubinetii* 609–626

Quince, tissue, migration of *Bacillus amylovorus* in. Herbert A. Wahl 59–64

Rations—
  cattle, net energy value, study 186–188, 190
  dairy cows, influence on chemical and physical properties of milk fat. O. R. Overman and O. F. Garrett 51–58
  digestibility at different levels of feeding .. 172–173
Rhizoctonia—
  bottom rot and head rot of cabbage. F. L. Wellman 461–469
  cabbage, disease production, relation of environment 467–468, 469
  rots, of cabbage, causal organism 464–465
  solani, infestation of cabbage, study 461–469
  strains, physiologic specialization 465–468
RODENHISER, H. A.: Heterothallism and Hybridization in *Sphacelotheca sorghi* and *S. cruenti* 287–296
Roots, asparagus, size, effect on yield 102–105, 108–109
Rose—
  anthracnose—
    caused by Sphaceloma. Anna E. Jenkins 321–337
    control measures 334–335
    name, history, range, and importance .. 323–326
  inoculation, with *Sphaceloma rosarum*, experiment 334
  species and varieties susceptible to anthracnose 321–323
Roses—
  leaf spot, symptom of anthracnose 326–327
  stem canker, symptom of anthracnose 327–328
Run-off and soil erosion, effect of degree of slope on. F. L. Duley and O. E. Hays 349–360
Rye—
  inoculation with stem rust, physiologic studies 298–314
  stem rust, physiologic specialization in 297–315

Salts, effect on formation of serum layer in cream, experiments 485, 496–497, 499

Page

SCHEFFER, T. C., and LINDGREN, R. M.: Some Minor Stains of Southern Pine and Hardwood Lumber and Logs ... 233–237
SCHUMACHER, FRANCIS X., and BULL, HENRY: Determination of the Errors of Estimate of a Forest Survey, with Special Reference to the Bottom-Land Hardwood Forest Region ... 741–756
Serum, separation from bottled cream, study of factors. G. Malcolm Trout and J. C. McCan ... 483–500
SEWELL, M. C., and GAINEY, P. L.: The Rôle of Nitrogen in the Production of Spots in Wheat Fields ... 129–148
SHEALY, A. L., and THOMAS, E. F.: Lead Arsenate Poisoning in Chickens ... 317–319
Sheep, inbreeding coefficients, calculation from pedigrees, test of method ... 565–569
Smut fungi, evidences of heterothallism and hybridization in, experiments ... 287–295
Soil—
  erosiveness, study ... 357–358, 360
  hydrogen-ion concentration and oxidation-reduction potentials. L. G. Willis ... 571–575
  liming, effect on oxidation-reduction potential, data and discussion ... 571–574, 575
  nitrogen, in wheat fields, studies ... 129–148
  oxidation-reduction potentials and hydrogen-ion concentration. L. G. Willis ... 571–575
Soils, loam, silty clay and sandy, run-off and erosion, comparisons ... 354–358
Sphaceloma—
  cause of rose anthracnose. Anna E. Jenkins ... 321–337
  rosarum, n. comb.—
    associated fungi and pathogenicity ... 333–334
    isolations and cultural characteristics ... 332–333
    morphology, classification, and identity ... 328–331
Sphacelotheca—
  cruenta, heterothallism and hybridization in. H. A. Rodenhiser ... 287–296
  sorghi, heterothallism and hybridization in. H. A. Rodenhiser ... 287–296
Spots, in wheat fields, rôle of nitrogen in production. P. L. Gainey and M. C. Sewell ... 129–148
Steers—
  energy metabolism, experiments ... 175–184
  fasting, relation to heat production, experiments ... 180–184, 189
STEINER, G.: Some Nemic Parasites and Associates of the Mountain Pine Beetle (*Dendroctonus monticolae*) ... 437–444
STEINMETZ, F. H., and ARNY, A. C.: A Classification of the Varieties of Field Beans, *Phaseolus vulgaris* ... 1–50
STONE, WINONA E.: The Origin, Development, and Increase of Chloroplasts in the Potato ... 421, 435
Storage—
  atmosphere, carbon dioxide content, effect on carbohydrate transformation in certain fruits and vegetables. Erston V. Miller and Charles Brooks ... 449–459
  of potatoes, physiological studies. R. C. Wright ... 543–555
Sturmia inconspicua—
  life and seasonal history ... 194–204, 207–208
  Meigen, a tachinid parasite of the gipsy moth. R. T. Webber ... 193–208
  parasitism and list of hosts ... 204–207, 208
  synonymy, distribution, and importation ... 193–194
STURTEVANT, A. P.: Relation of Commercial Honey to the Spread of American Foulbrood ... 257–285
SWETT, W. W.; MILLER, FRED W.—and GRAVES, R. R.—
  Comparison of Conformation, Anatomy, and Skeletal Structure of the Cow and Bull of a Dairy Breed ... 641–674
  Composition of Milk Obtained from Amputated Cow Udders ... 401 419
  Quantity of Milk Obtained from Amputated Cow Udders ... 385–400

Page

SWETT, W. W.; MILLER, FRED W.—Con. GRAVES, R. R.; and CREECH, G. T.: Quality, Size, Capacity, Gross Anatomy, and Histology of Cow Udders in Relation to Milk Production ... 577–607
Swine, feeding with iodine, experiments ... 112–113, 121–122, 127

Tachinid parasite of the gipsy moth, *Sturmia inconspicua* Meigen. R. T. Webber ... 193–208
Tannic acid, effect on growth of *Gloeosporium perennans* and *Neofabraea malicorticis* ... 68–71, 76
Temperature—
  changes, effect on potatoes in storage ... 543–555
  effect on—
    growth of *Neofabraea malicorticis* and *Gloeosporium perennans*, study ... 66, 72–75
    Rhizoctonia diseases of cabbage ... 467–468, 469
THOMAS, E. F., and SHEALY, A. L.: Lead Arsenate Poisoning in Chickens ... 317–319
THOMPSON, L. G., Jr.: Nitrogen Changes Produced in Certain Nitrogenous Compounds by Azotobacter and the Nitrogen Fixed in the Presence of These Compounds ... 149–161
Tilletia tritici, bunt, resistance to, inheritance in hybrids of White Federation and Odessa wheat. Fred N. Briggs ... 501–505
Trichoderma sp., staining of wood, study ... 235, 237
TROUT, G. MALCOLM, and MCCAN, J. C.: A Study of Several Factors in the Separation of Serum from Bottled Cream ... 483–500
Tung-oil tree—
  bacterial diseases. Lucia McCulloch and J. B. Demaree ... 339–348
  leaf, inoculation with *Bacterium aleuritidis*, n. sp ... 341–343

Vaccination, cows, effects on blood stream, experiments ... 711–724
Vaccines, efficacy against infectious abortion of cattle ... 705–724
Vegetables, carbohydrate transformation, effect of carbon dioxide content of storage atmosphere on. Erston V. Miller and Charles Brooks ... 449–459
Vitamin A, B, C, and G content, Concord grapes. Esther Peterson Daniel and Hazel E. Munsell ... 445–448

WAHL, HERBERT A.: The Migration of *Bacillus amylovorus* in the Tissue of the Quince ... 59–64
WAITE, WILLIS W., and FENTON, F. A.: Detecting Pink Bollworms in Cottonseeds by the X Ray ... 347–348
WALDRON, L. R., and MANGELS, C. E.: Correlational and Allied Studies of the Protein Content, Water Absorption, Loaf Volume, and Loaf Weight of Two Series of Hard Red Spring Wheats ... 209–231
WEBBER, R. T.: *Sturmia inconspicua* Meigen, a Tachinid Parasite of the Gipsy Moth ... 193–208
WELLMAN, F. L.: Rhizoctonia Bottom Rot and Head Rot of Cabbage ... 461–469
Wheat—
  fields, spots, rôle of nitrogen in production. P. L. Gainey and M. C. Sewell ... 129–148
  hybrids, inheritance of resistance to bunt ... 501–505
  kernel—
    resistance to *Gibberella saubinetii* ... 620–622, 625
    semipermeable membrances, relation to *Gibberella saubinetii* infection. Grace Wineland Pugh, Helen Johann, and James G. Dickson ... 609–626
  kernels, structure, description ... 612–618
  production, relation of nitrogen to, studies ... 129–148
  resistance to bunt, *Tilletia tritici*, inheritance in hybrids of White Federation and Odessa. Fred N. Briggs ... 501–505
  scab—
    fungus, entrance and spread in wheat kernels, factors ... 624, 625
    See also *Gibberella saubinetii*.

Page

Wheat—Continued.
White Federation and Odessa hybrids, inheritance of resistance to bunt, *Tilletia tritici*. Fred N. Briggs 501–505
yield, nitrogen-treated soil, experiments 142–148
Wheatgrass, crested—
inflorescence, development and description 382
life history and habits. L. Dudley Love and Herbert C. Hanson. 371–383
mature plant, development and morphology 377–382
seed, description and germination 371–372
seedling, development and morphology 373–377
Wheats, hard red spring, two series, correlational and allied studies of the protein content, water absorption, loaf volume, and loaf weight. L. R. Waldron and C. E. Mangels 209–231

Page

WILLIAMS, P. S.; FORBES, E. B.; KARNS, GEO. M.; BECHDEL, S. I.; KEITH, T. B.; CALLENBACH, E. W.; and MURPHY, R. R.: The Value of Iodine for Livestock in Central Pennsylvania 111–128
WILLIS, L. G.: Oxidation-Reduction Potentials and the Hydrogen-Ion Concentration of a Soil 571–573
Wood—
oil tree. *See* Tung-oil tree.
stains, caused by treatment for blue stain, study 233–237
WRIGHT, R. C.: Some Physiological Studies of Potatoes in Storage 543–555

X Ray, detection of pink bollworms in cottonseeds. F. A. Fenton and Willis W. Waite 347–348

Vol. 45

Page

11–128

71–575

33–237

33–556

7–349